

**DECLARATION OF COMPLIANCE FOR MATERIALS AND ARTICLES
INTENDED TO COME INTO CONTACT WITH FOOD
PAPER KRAFT PE LAMINATED BOWL RANGE
(Revision 0.4: 2022, 26th of April)**

SABERT EUROPE
Rue de l'Industrie, N°4
1400 NIVELLES
Belgique

Hereby declare that the products mentioned below:

PAP14012PE	Sq Bowl400 KRPE FSC MIX Credit 13cm6x50p
PAP14016PE	Sq Bowl600 KRPE FSC MIX Credit 13cm6x50p
PAP14024PE	Sq Bowl900 KRPE FSC MIX Credit 17cm6x50p
PAP14032PE	SqBowl1200 KRPE FSC MIX Credit 17cm6x50p
PAPCOM14012PE30C6	ComSqBowl400 KRPE FSC MIX Credit 6x15+15
PAPCOM14016PE30C6	ComSqBowl600 KRPE FSC MIX Credit 6x15+15
PAPCOM14024PE30C6	ComSqBowl900 KRPE FSC MIX Credit 6x15+15
PAPCOM14032PE30C6	ComSqBow1,2L KRPE FSC MIX Credit 6x15+15

Which consist in a paper kraft (virgin fibers) coated on the interior side with a PE lamination film (no adhesive)

Comply with the following regulations:

- **1935/2004** : Regulation (EC) of the European parliament and of the council of 27 October 2004 on materials and articles intended to come into contact with food.

In the following condition of use:

- All type of food .
- Storage at ambient temperature or below.
- Temperature of use: from -20°C to 90°C.
- Do not use in microwave or conventional oven.

Paper board complies with

- German BfR recommendation XXXVI/2
- Fiche DGCCRF on “organic materials based on vegetal fibers intended to come into contact with food”

Lamination complies with 10/2011/EU and amendments

The products we supply comply with the overall migration limit of 60 mg/Kg or 10mg/dm² as laid down in regulation 10/2011/EU.

Test condition:

- 10d at 40°C, Acetic Acid 3% (simulant B), Ethanol 10% (simulant A), Ethanol 95% (simulant D2).
- 2d at 20°C, Isooctane (simulant D2).

Ratio surface / volume 1.12 dm²/100ml for global migrations and 0,6 dm²/100ml for specific migrations.

None of the substances submitted to Specific Migration Limit (SML) or Dual Use Additives have been used.

- **2023/2006/CE** : commission regulation from 22/12/2006 on good manufacturing practice for material and articles intended to come into contact with food.
- Bisphenol A and phthalates are not used in the manufacturing process.
- **94/62/CE**: directive of the parliament and the council from 20/12/1994 on packaging and packaging waste
 - Concentration level of heavy metal < 100ppm
 - No dangerous substances identified
 - Waste management: recycling with paper waste or recovery as energetic source (in an approved incinerator).
- **Perfluorocarbon - Directive 2006/122/EC** : Perfluorooctanic acid (PFOA), perfluoro-alkyl sulphonates (PFAS), or perfluorooctane sulfonates (PFOs) are not intentionally used in the manufacture or formulation of this product.

Shelf life: 2 years under normal storage condition: dry, ambient temperature, in original packaging, not exposed to light.

According to the European legislation in force, this is the responsibility of the end user to verify the technical suitability of the product for his specific intended use.

This letter replaces all previous versions.

Valid two years.



This declaration is done for
Nivelles, 5/07/2022



Isabelle Ernotte
QE Manager

